

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	502	delet\$6 same (structure or relational) same (metadata or (meta adj data) or schema)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 13:36
L2	78	1 and class and encapsulat\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 13:49
L3	29	2 and database adj server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 13:42
L4	4	2 and relational adj database adj server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 13:42
L5	11	1 and relational adj database adj server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 13:47
L6	4	5 and class and encapsulat\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 13:45
L7	4	6 and delet\$6 and object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 13:47
L8	186	1 and delet\$6 with object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 13:48
L9	1	8 and relational adj database adj server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 13:48

L10	1	9 and delet\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 13:49
L11	126	8 and ((relational adj database adj server) or (relational adj database) or (database adj server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 13:49
L12	126	11 and delet\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 13:49
L13	42	12 and class and encapsulat\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 13:54
L14	51	1 and class same delet\$6 same relational	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 13:55
L15	16	1 and class same delet\$6 same relational same objects!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 13:56

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	23309	integrity near4 (data or database or (data adj (base or source)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:51
L2	2945	1 and encapsulat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:20
L3	2	2 and (delet\$6 near6 (object adj data)) with relational	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:52
L4	32	1 and delet\$6 near6 (relational adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:38
L5	9	4 and encapsulat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 12:11
L6	6	5 and (metadata or (meta adj (data or information)) or schema)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:43
L7	6	6 and class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:43
L8	286	2 and class with delet\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:43
L9	231	2 and class near6 delet\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:43

L10	200	9 and (metadata or (meta adj (data or information)) or schema)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:52
L11	4	10 and delet\$6 near9 relational	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:44
L12	88	9 and (metadata or (meta adj (data or information)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:44
L13	1	10 and delet\$6 same (object adj relational)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 12:02
L14	27	1 and delet\$6.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:47
L15	19	14 and delet\$6.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:48
L16	19	15 and delet\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:51
L17	0	16 and delet\$6 same relational	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:48
L18	0	16 and relational	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:49
L19	779	(integrity near4 (data or database or (data adj (base or source)))) same delet\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:52

L20	0	19 and (delet\$6 near6 (object adj data)) with relational	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:52
L21	75	19 and (metadata or (meta adj (data or information))) SAME DELET\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 12:09
L22	166	cascade adj3 delet\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 12:08
L23	1	22 and delet\$6 same (object adj relational)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 12:04
L24	5	22 and delet\$6 and (object adj relational) and (relational adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 12:08
L25	5	22 and null\$8 adj3 delet\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 12:08
L26	1	22 and nullify adj3 delet\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 12:08
L27	582	(cascade adj3 delet\$6) or (null\$8 adj3 delet\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 12:08
L28	28	27 and delet\$6 and (object adj relational) and (relational adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 12:08
L29	19	28 and class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 12:09

L30	9	29 and (metadata or (meta adj (data or information))) SAME DELET\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 12:11
L31	10	29 and (metadata or schema or (meta adj (data or information))) SAME DELET\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 12:11
L32	224975	31and encapsulat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 12:11
L33	8	31 and encapsulat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 12:11

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	23309	integrity near4 (data or database or (data adj (base or source)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:51
L2	2945	1 and encapsulat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:20
L3	2	2 and (delet\$6 near6 (object adj data)) with relational	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:52
L4	32	1 and delet\$6 near6 (relational adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:38
L5	9	4 and encapsulat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:40
L6	6	5 and (metadata or (meta adj (data or information)) or schema)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:43
L7	6	6 and class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:43
L8	286	2 and class with delet\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:43
L9	231	2 and class near6 delet\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:43

L10	200	9 and (metadata or (meta adj (data or information)) or schema)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:52
L11	4	10 and delet\$6 near9 relational	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:44
L12	88	9 and (metadata or (meta adj (data or information)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:44
L13	1	10 and delet\$6 same (object adj relational)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:46
L14	27	1 and delet\$6.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:47
L15	19	14 and delet\$6.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:48
L16	19	15 and delet\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:51
L17	0	16 and delet\$6 same relational	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:48
L18	0	16 and relational	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:49
L19	779	(integrity near4 (data or database or (data adj (base or source)))) same delet\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:52

L20	0	19 and (delet\$6 near6 (object adj data)) with relational	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:52
L21	75	19 and (metadata or (meta adj (data or information))) SAME DELET\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:53